

## ASUS Introduces the **DUAL-RTX3050-6G** Graphics Card

**Item Name:** ASUS Dual NVIDIA GeForce RTX 3050 6GB Gaming Graphics Card - PCIe 4.0, 6GB GDDR6 Memory, HDMI 2.1, DisplayPort 1.4a, Native DVI-D, 2-slot Design, Steel Bracket, IP5X Rating, GPU Tweak III

**50 Word:** ASUS Dual GeForce RTX™ 3050 6GB fuses dynamic thermal performance with broad compatibility. A 2-slot design maximizes compatibility for any build and the IP5X Dust Resistance offers protection from the particle ingress for better durability.



- **Model Name:** DUAL-RTX3050-6G
- **ETA:** In stock
- **Web Link:** <https://www.asus.com/motherboards-components/graphics-cards/dual/dual-rtx3050-6g/>
- **Product Image Link:** <https://www.dropbox.com/scl/fo/moyn9dfn76mnojmqiugoi/h?rlkey=zsabt20vk0cubbbp8gis1eng1l&dl=0>
- **Video Link:** N/A
- **FOB ACI:** \$154.00
- **SRP:** \$157.00
- **MSRP:** \$169.99
- **Part Number:** 90YV0K61-M0AA00
- **UPC Code:** 197105470668
- **Box Dimension:** 11.9" x 8.7" x 2.2"
- **Gross Weight:** 1.55 lbs
- **Quantity per Carton:** 10 pieces
- **Cartons per Pallet:** 48 cartons/pallet

- **Quantity per Pallet:** 480 pieces/pallet
- **Warranty:** 3 Year Warranty

Prices and product availability are subject to change without notice due to unforeseen tariff impact and other factors.  
All specials prices and promotions limited to stock on hand.

## **[Graphics Card- DUAL-RTX3050-6G]**

## < Product Specification Summary >


- **NVIDIA Ampere Streaming Multiprocessors:** The all-new Ampere SM brings 2X the FP32 throughput and improved power efficiency.
- **2nd Generation RT Cores:** Experience 2X the throughput of 1st gen RT Cores, plus concurrent RT and shading for a whole new level of ray-tracing performance.
- **3rd Generation Tensor Cores:** Get up to 2X the throughput with structural sparsity and advanced AI algorithms such as DLSS. These cores deliver a massive boost in game performance and all-new AI capabilities.
- **Axial-tech fan design** features a smaller fan hub that facilitates longer blades and a barrier ring that increases downward air pressure.
- **A 2-slot Design** maximizes compatibility and cooling efficiency for superior performance in small chassis.
- **A stainless steel bracket** is harder and more resistant to corrosion.
- **IP5X Dust Resistance** offers protection from the particle ingress for better durability.

## < Product Specification >

## Specifications

<b>Model name</b>	<b>DUAL-RTX3050-6G</b>
Graphics Engine	NVIDIA® GeForce RTX™ 3050
CUDA cores	2304
OpenGL®	OpenGL® 4.6
Engine Clock	OC Mode : 1500 MHz (Boost Clock) Default Mode : 1470 MHz (Boost Clock)
Memory Interface	96-bit
Video Memory	6GB GDDR6
Memory Speed	14 Gbps
Power Connector	NA
I/O	1x Native HDMI 2.1 1x Native DisplayPort 1.4a 1x Native DVI-D
HDCP Compliant	HDCP 2.3
Digital Max. Resolution	7680 x 4320
Maximum Display Support	3
NVLink/Crossfire Support	N/A
Recommended PSU	550W
Bus Standard	PCIe 4.0
Package Contents	1 x Speedsetup Manual
Software Bundled	ASUS GPU Tweak III & GeForce Game Ready Driver & Studio Driver (Please download all software from the support site.)
Slot	2 slot
<b>Dimension</b>	
Card Size (mm/inch)	201 x 120 x 37mm 7.91 x 4.72 x 1.46 inches
Color Box (mm)	300 x 218 x 55
<b>Weight</b>	
Single Card (KG)	0.4
Product Weight (with packing) (KG)	0.702
<b>Note</b>	<p>* Our wattage recommendation is based on a fully overclocked GPU and CPU system configuration. For a more tailored suggestion, please use the "Choose By Wattage" feature on our PSU product page:  <a href="https://rog.asus.com/event/PSU/ASUS-Power-Supply-Units/index.html">https://rog.asus.com/event/PSU/ASUS-Power-Supply-Units/index.html</a></p> <p>* All specifications are subject to change without notice. Please check with your supplier for exact offers.</p> <p>Products may not be available in all markets. If you do not use the latest and current specifications of ASUS</p>

California Proposition 65

 **WARNING** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).