

	<h2>Z490A-SILVER 5.0</h2> <ul style="list-style-type: none"> • Supports 10th Generation Intel Core™ Processor • Intel Z490 single chip architecture • Supports 4-DIMM DDR4- 2133/ 2400/ 2666/ 2800/ 2933 3200(OC)/3600(OC)/ 3800(OC)/ 4000(OC)/ 4400+(OC) up to 128 GB Memory • Supports PCIe M.2 (32Gb/s) • Supports Intel Optane Technology • Supports HDMI 4K resolution • Supports GbE LAN • Supports USB 3.2 Gen1 • Supports WiFi 6 (No Wifi 6 card included)
---	---

Chipset	<ul style="list-style-type: none"> • Intel Z490
CPU SUPPORT	<ul style="list-style-type: none"> • Support for 10th Generation Intel® Core™ i9 • processors/Intel® Core™ i7 processors/Intel® Core™ i5 • processors/Intel® Core™ i3 processors/Intel® Pentium® • processors/Intel® Celeron® processors in the LGA1200 package • * Please refer to www.biostar.com.tw for CPU support list. • • •
MEMORY	<ul style="list-style-type: none"> • Supports Dual Channel DDR4 2133/ 2400/ 2666/ 2800/ 2933 • Supports Dual Channel DDR4 3200(OC)/ 3600(OC)/ 3800(OC)/ 4000(OC)/ 4400+(OC) • 2 x DDR4 DIMM Memory Slot, Max. Supports up to 64 GB Memory • Each DIMM supports non-ECC 4/ 8/ 16/ 32GB DDR4 module • Support for Extreme Memory Profile (XMP) memory modules

	<ul style="list-style-type: none"> * Please refer to www.biostar.com.tw for Memory support list.
INTEGRATED VIDEO	<ul style="list-style-type: none"> By CPU model
STORAGE	<ul style="list-style-type: none"> Total supports 2 x M.2 slots and 6 x SATA III(6Gb/s ports) 1 x M2_32G_1 socket , with M key, type 2242/2260/2280/22110 storage devices support SATA & PCIE 3.0 x 4 mode/Intel Optane Technology 1 x M2_32G_2 socket , with M key, type 2242/2260/2280/22110 storage devices support SATA & PCIE 3.0 x 4 mode/Intel Optane Technology 6 x SATA III (6Gb/s) : Supports AHCI, RAID 0, 1, 5, 10 & Intel Rapid Storage Technology * When using SATA SSD module on M2M_32G_1 slot, the SATA_3U connector will be disabled. * When using SATA SSD module on M2M_32G_2 slot, the SATA_3L connector will be disabled.
LAN	<ul style="list-style-type: none"> Intel i219V; 10/ 100/ 1000 Mb/s auto negotiation, Half / Full duplex capability Supports Super LAN Surge Protection
AUDIO CODEC	<ul style="list-style-type: none"> ALC1150 7.1 Channels, High Definition Audio
USB	<ul style="list-style-type: none"> 6 x USB 3.2 (Gen1) ports (4 on rear I/Os and 2 via internal header) 6 x USB 2.0 ports (2 on rear I/Os and 4 via internal header)









EXPANSION SLOT	<ul style="list-style-type: none"> • 3 x PCIe 3.0 x 1 Slots • 2 x PCIe 3.0 x 16 Slots(x 16 or x 8 + x 8) • •
REAR I/O	<ul style="list-style-type: none"> • 2 x WIFI Antenna Ports • 1 x PS/2 Keyboard • 1 x PS/2 Mouse • 1 x HDMI Port • 1 x DP Port • 1 x VGA Port • 4 x USB 3.2 (Gen1) ports • 2 x USB 2.0 Ports • 1 x LAN port • 3 x Audio Jack •
INTERNAL I/O	<ul style="list-style-type: none"> • 6 x SATA III Connectors (6Gb/s) • 1 x M.2 (E Key) Socket : Supports 2230 type Wi-Fi & Bluetooth module and Intel CNVi • 2 x USB 2.0 Header (each header supports 2 USB 2.0 ports) • 1 x USB 3.2 (Gen1) Header (each header supports 2 USB 3.2 (Gen1) ports) • 1 x 4-Pin Power Connector • 1 x 8-Pin Power Connector • 1 x 24-Pin Power Connector • 1 x CPU Fan Connector • 1 x CPU water cooling connector (CPU_OPT) • 2 x System Fan Connectors • 1 x Front Panel Header • 1 x Front Audio Header • 1 x Clear CMOS Header

	<ul style="list-style-type: none"> • 1 x COM Port Header • 1 x TPM Header • 1 x Thunderbolt 3 Header • 2 x LED Header (5V) • 1 x LED Header (12V) • * M.2 (E key) Wi-Fi card is not provided. •
H/W MONITORING	<ul style="list-style-type: none"> • CPU / System Temperature Monitoring • CPU / System Fan Monitoring • Smart / Manual CPU Fan Control • CPU/DDR Voltage Monitoring
DIMENSION	<ul style="list-style-type: none"> • ATX Form Factor Dimension: 30.5cm x 24.4cm (W x L)
OS SUPPORT	<ul style="list-style-type: none"> • Supports Windows 10 (64bit) • ❌Biostar reserves the right to add or remove support for any OS with or without notice.
BUNDLE SOFTWARE	<ul style="list-style-type: none"> • Racing GT Utility • BullGuard
ACCESSORIES	<ul style="list-style-type: none"> • 4 x SATA Cable • 1 x I/O Shield • 1 x DVD Driver • 1 x User Manual
FEATURES	<ul style="list-style-type: none"> • BIO-Relife • BIO-Flasher • BIOS EZ Mode /Advanced Mode • Intel Optane technology • LED Rock Zone (12V*1 / 5V*2) • Tough Power Connectors • Super Durable Inductor

	<ul style="list-style-type: none"> • CPU OPT Header • •
--	--

Cooperatives

AITC	
Apacer	
達多科技	
Asgard	
Bitpower	
FSP	
GeIL	

G.SKILL	
HyperX	
RAZER CHROMA	
SilverStone	
T-Force	
TT thermaltake	
V-color	
XigmaTek	

CPU-Chipset Features

Intel Z490 chipset

With the Intel® Z490 chipset and the 10th generation Intel® Core™ processors, you will immediately be at the forefront of the battlefield, fueled by mind-blowing power and performance. From content creation to gaming, the Intel Z490 chipset provides you with the power and performance you need.



Audio+

Hi-Fi

A combination of exclusive hardware & software design including "ground-isolation circuit design", "an independent audio power", and "a built-on-board amplifier", with all these hardware features gives you the best audio quality and performance. As for software, we offer you a free bundle utility "Multi-Channel Calibration", which normally you'll find in high level sound systems; this feature allows you to auto detect your location; with a user friendly interface, you can easily adjust the volume of every speakers to make a well balanced surround sound. And of course, the built-on-board amplifier always gives you a super powerful sound comparing to other motherboards.



HD Audio

Provides high quality sound with minimal loss of audio fidelity.



Hi-Fi Ground

BIOSTAR Hi-Fi Ground (Golden Line) is noise-blocking multi-layer PCB design to isolates analog audio signals from digital sources. Unique PCB layout is ideal for exceptional clarity and high fidelity sound.



Hi-Fi AMP

The built-in amplifier can drive major high-end headphones with over 100dB loads and offer wide band-width, low noise, high slew rate and low distortion audio source from front panel I/O. Gaming enthusiasts can enjoy a fuller range of dynamic sound with crisper details and less distortion.



Smart Ear

Smart EAR is a windows-based audio utility which allows you to easily adjust system volume. With its user-friendly GUI, you can also increase or decrease impedance setting (Low/High Gain) to optimize your headphone performance. You can easily enjoy high-quality and awesome sound.



Video+

HDMI 4K2K

The new 4K2K resolution enables high-definition image display with four times the resolution of full HD, 4K2K display is faithfully express bright, highly detailed content that fills the entire screen with lifelike images. Connectivity with PCs via a single HDMI cable for displaying 4K2K data.



DisplayPort

DisplayPort is a digital display interface developed by the Video Electronics Standards Association (VESA). The interface is primarily used to connect a video source to a display device such as a computer monitor, though it can also be used to carry audio.



DX12

DirectX 12 introduces the next version of Direct3D, the graphics API at the heart of DirectX. Direct3D is one of the most critical pieces of a game or game engine, and we've redesigned it to be faster and more efficient than ever before. Direct3D 12 enables richer scenes, more objects, and full utilization of modern GPU hardware.



Integrated HDMI with HDCP

Onboard HDMI connector allows full video & audio support. It has industry-leading high definition video quality.



Speed+

Intel GbE LAN

Unlike ordinary LAN solution, Intel® GbE LAN offers fewer CPU resource consumption and more bandwidth stability. Thus, Intel® LAN is the best choice for performance seekers.



PCIe M.2

PCIe M.2 32Gb/s is the latest storage interface, it delivers the highest bandwidth and lower latency. It's 3 times faster compared with PCIe M.2 10Gb/s.



PCIe Gen 3.0

PCIe 3.0 is the next evolution of the ubiquitous and general-purpose PCI Express I/O standard. At 8GT/s bit rate, the interconnect performance bandwidth is doubled over PCIe 2.0, while preserving compatibility with software and mechanical interfaces.



SATAIII 6Gbps

SATAIII 6Gbps provides a higher bandwidth to retrieve and transfer HD media. With this super speed data transfer, SATAIII allows an incredible data boost which is 2x faster than the SATA 3G.



Dual DDR4

The primary advantages of DDR4 over DDR3, include higher module density, lower voltage requirements, coupled with higher data transfer rate.



USB 3.2 Gen1 Type-A

USB 3.2 Gen1 delivers a compelling performance boosts and can be used to connect multiple devices without worrying about compatibility. It is capable of data transfer speeds up to 5Gbps and backwards compatible with all existing USB products.



Intel Optane Memory Ready

Intel Optane memory can accelerate traditional storage devices to reduce boot times and improve the overall performance, like a brand-new system. This revolutionary memory technology transforms your old PC to a performance monster without expensive SSD.



Durable+

Super Durable Solid Caps





The best quality solid state capacitors with ultra low ESR design, the Super Durable Solid Caps doubles the lifespan.



Moistureproof of PCB

The popularity of PC usage and working environment is getting deteriorating and moist (rural, coastal, etc.). The PCB will be oxidizing easily by damp or absorbed moisture, and ionic migration or CAF (Conductive Anodic Filament) will be generated. Moisture-proof PCB meets high density and high reliability requirements for moisture proof.



<p>Iron Slot Protection</p> <p>The exclusive Iron Slot Protection can reinforce PCI-E x16 slots to handle heavier graphics cards, prevent bending, and extend longevity of the slot, making the new-gen RACING Series much more robust.</p>	
<p>Tough Power Connectors</p> <p>Tough Power Connectors are very robust that have larger area to ensure stable and reliable power supply. They can pack more power and durability to make your PC last longer.</p>	
<p>Super Durable Inductor</p> <p>Super Durable Inductor brings the benefits of higher current capacity, lower energy loss and better power stability.</p>	
<p>S-Hyper PWM</p> <p>The S-Hyper PWM has DCR current sensing architecture and lossless characteristic, offering excellent precision in delivering stable power with 100% fixed voltage to ensure that critical components of the motherboard are under protected with the maximum performance and reliability.</p>	

Protection+

Super LAN Surge Protection

Super LAN Surge Protection, providing LAN port with more advanced antistatic protection capabilities by adding an integrated chip to strengthen electrical stability and prevent damage from lightning strikes and electrical surges. SLSP (Super LAN Surge Protection) series motherboard upgrades the existing system protection standards with maximum 4X protection comparing to other board makers.



OC / OV / OH Protection

OC / OV / OH Protection design detects overvoltage conditions and prevents voltage surges from spreading in real time. It also actively cuts off the overvoltage supply to protect your system.



BullGuard Internet Security (90 days FREE trial)

BullGuard Internet Security comes with the broadest line-up of internet security features on the market, including: a cutting-edge dual Antivirus engine, Online Backup for your precious files, PC Tune Up to speed up your system, a Game Mode for a seamless gaming experience, Parental Control, Firewall, Safe Browsing and many more. Make the most of your digital life with Bullguard!



DIY+

VIVID LED DJ

New VIVID LED DJ with more customizability and options to control multiple RGB/ARGB LED lighting zones independently. Users can control color, speed and brightness for different modes at ease.



RACING UEFI BIOS

Unified Extensible Firmware Interface (UEFI) is a brand new framework that provides a revolutionary interface. It is a modern clear and easy-to-use graphical user interface. The UEFI comes with a colorful easy-understand icons lead users into the setup layer directly.



EZ Mode

BIOSTAR EZ Mode makes everything as simple and efficient as possible. It has an attractive easy-to-use BIOS system interface that guides users to solve their problems with ease. It lays out the things which you often do in BIOS system to make the flow smooth and seamless.



BIO-Flasher

BIO-Flasher is a convenient BIOS update tool. Just launch this tool and put the BIOS on USB pen driver before entering the OS. You can update your BIOS with only a few clicks without preparing an additional floppy disk or other complicated flash utility.



A.I FAN

With A.I FAN users can ensure that their gaming PC can maintain its performance while staying cool. According to different cooling needs and usage scenarios, users can control speed modes. Allows users to have more customizability of fan modes and automatically detects different temperatures to make fan operate at defined speed for optimal cooling performance. Furthermore, A.I FAN support both PWM and DC voltage fans for more cooling options.



LED ROCK ZONE

LED ROCK ZONE comes with the RGB 12V LED header and Digital 5V LED header which offer more colorful lighting options to DIY lovers. Adjusting the color of LED and changing system colors by VIVID LED DJ will make you fully enjoy the process of PC modding developing your personal style.



CPU OPT

BIOSTAR offers one more fan header which is called CPU OPT. Users can use it to connect any kind of water coolers for a liquid cooling system. Keep your computer stable and enjoy your machine at the utmost potential.



BIOSTAR RGB SYNC

BISOTAR RGB SYNC is designed to create your personalized lighting effects. Let all the RGB peripherals and components sync together.



A.I TP Control

A.I TP Control is designed for overclockers. It provides a user-friendly BIOS environment that overclockers can adjust the temperature setting to keep your PC safe and enjoy extreme overclocking performance.

